*Notification dated 25th January* 1940.

Notice is hereby given that the Share Transfer Books of the Bank will be closed for 15 days from 3rd February 1940 to 17th February 1940, both days inclusive.

F. L. PERADON,
*Manager.*

"I intend moving the Hon'ble the High Court of Mysore to enrol me as an Advocate thereof."

R. NAGARAJ, B.SC., LL.B.

I intend moving the High Court of Mysore, to enrol me as an Advocate thereof.

P. KRISHNAPPA.

"I, G. M. Nataraj, B.A., B.L., intend moving the Hon'ble the High Court of Mysore to enrol me as an Advocate thereof."

G. M. NATARAJ.

NOTICE.

I hereby inform to the public that I shorten my name from M. Munisamy to M. M. Samy from the date of publication in the *Mysore Gazette.*

M. MUNISAMY (M. M. SAMY),
*Son of Malappa, Kurubarapet,*
*Kolar Town.*

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

*No. S. P. C.* 24875-88, *dated 23rd January* 1940.

*Enquiry No.* 3886.

DISTRIBUTION LIGHTNING ARRESTERS.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

Item (1) 120 single-pole, distribution lightning Arresters, for out-door service, suitable for non-grounded A.C. Circuits of 1,000 to 3,000 Volts between phases and required for operation at altitudes not exceeding 6,000 ft. above the sea level. The arresters should have steel mounting brackets, hot dip galvanised for installation on angle iron cross-arms.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Item (2) | 57 | Do | do | do | do | 3,000 to 6,000 Volts | do |
| Item (3) | 31 | Do | do | do | do | 6,000 to 9,000 Volts | do |

The design and manufacture of the arresters shall be such that they are perfectly moisture-proof and free from deterioration due to either physical, mechanical or electrical causes. The arresters shall be capable of maintaining their initial characteristics throughout life without appreciable change and conform to the latest B.S.S. or A.I.E.E. Standards.

The cathode-ray oscillograms showing the protectite characteristics of the arresters, when subjected to A.I.E.E. Standard test surge, shall be submitted with the tenders, along with the technical information relating to the breakdown voltage, the discharge capacity in amperes and the impedance drop of the arrester. Full details and descriptive literature explaining the construction and the characteristics of the materials used in the manufacture of the arrester shall also be submitted along with the tenders, without which quotations will not be considered.

The prices to be quoted should be for delivery, c.i.f., Madras.

Your quotation should be sent in duplicate.

This enquiry will close on the 25th March 1940.

---

*No. S. P. C.* 24922-39, *dated 25th January* 1940.

To

*The Firms dealing in Filter Press Cloth.*

*Enquiry No.* 3888.

FILTER PRESS CLOTH REQUIRED FOR GOVERNMENT PORCELAIN FACTORY.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Filter Press Cloth for the Government Procelain Factory," with the above enquiry Number.

This enquiry will be closed on the 20th February 1940.

*Schedule.*

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| 1 | Filter Press Cloth, 36" width as per *sample marked "A" (40 Yds. per piece) .. .. | 200-250 pieces. | Bangalore City. | |
| | Alternatively.— Filter Press Cloth 36" width as per *sample marked "B" (40 Yds. per piece) .. .. | 200-250 pieces. | | |

* Samples can be had from the undersigned on application.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

(1) The contract will be in force for one year.
(2) The total quantity to be indented for during the year will vary from 200 to 250 pieces The contract should be deemed to be limited to the actual quantity indented for.
(3) The quantity to be supplied at a time will be 50 pieces.
(4) All indents should be complied within a fortnight from date of receipt of the indents.
(5) Payment will be made for the actual quantity delivered at the Factory premises.
(6) Any supplies which fail to conform to specifications or conditions stipulated above, will be rejected at the supplier's risk and cost and he will be required to replace the same by correct material without extra cost to us.
(7) In the event of failure to supply the materials in time or in accordance with the specifications, the Stores Purchase Committee reserve the right to cancel the order and arrange for the purchase of material from other sources, debiting the extra cost, incurred thereby to the suppliers. In such an event the security deposit referred to in the following clause will be forfeited to Government and a penalty of 3 per cent of the value of contract will be levied as and by way of liquidated damages.
(8) The supplier should enter into an agreement with the General Manager, Government Porcelain Factory, Bangalore, binding himself to execute the contract in accordance with the foregoing conditions and also to deposit with him 5 per cent of the value of contract as security for the proper performance of the contract.

---

*No. S. P. C.* 24915-21, *dated* 26*th January* 1940.

To

*The Firms dealing in Microscope.*

*Enquiry No.* 3889.

MICROSCOPE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being

made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Microscope", with the above enquiry Number.

This enquiry will be closed on the 10th February 1940.

*Schedule.*

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| | | | Bangalore. | |
| 1 | Powerful Microscope suitable for Work<br>One powerful Microscope suitable for work with polarised light and also non-polarised light equipped with a graduated revolving mechanical stage with double action with scales and verniers to take objects of any size traversing area about 26×51 m.m. The sub-stage condenser to have rack and pinion focussing device interchangeable with a polariser and condenser assembly together with a cup or body tube analyser. The stand should in addition be provided with a 45° slot just above nose piece for the reception of such accessories as selenite plate, quartz wedge when polarised light is sued. The optical equipment to include planoscopic osculars with cross hairs 32, 16, 8 and 4 m.m. objectives and an achromatic condenser with attachable dark field element.<br>1. (*a*) The Camara Lucida Attachment.<br>(*b*) Illuminating arrangement suitable for 220 volts, 50 cycles, single phase, A.C. power supply both for transmitted and incident or polarised lights as the case may be. The lighting arrangement should have all accessories as resistances flexible cords, plugs, etc., complete.<br>(*c*) One Leica or Zeiss or other camera with powerful lens of F–1·5 to 1·7 with complete set of accessories like reproduction stands, enlarger, etc., complete to enable micro-photography, in combination with the microscope and enlargement of photos.<br>(*d*) Universal Microtome with automatic feed for producing the sections of fibres. | One | | |

*No. S. P. C. 25226-40, dated 26th January* 1940.

To

*The Firms dealing in Sanitary Materials.*

*Enquiry No.* 3890.

SANITARY MATERIALS REQUIRED FOR CRICKET STADIUM, CENTRAL COLLEGE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the under mentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Sanitary Materials required for Cricket Stadium, Central College", with the above enquiry Number.

This enquiry will be closed on the 10th February 1940.

*Schedule.*

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| 1 | White porcelain European closet "P" trap with double thickness polished mahogony hinged double seat with three gallons C.I. flushing cistern with chain pull (English made) G.I. telescopic flush pipe, etc., complete set .. | 2 | Bangalore City. | |
| 2 | White porcelain Hindustani closet "P" trap with English made three gallons C.I. flushing cistern with chain pull C.I. telescopic flush pipe and one pair of marble foot rests complete set .. | 2 | | |
| 3 | Flat backed urinal basin with N.P. acqua flush valve with flush pipe with caps complete set (English make) .. .. .. .. | 2 | | |
| 4 | White porcelain wall lavatory 25″×18″ complete set with C.I. bracket and single top with waste union and plug and chain N.P. set complete .. .. .. .. .. | 4 | | |
| 5 | Mirror bevelled edge in white enamelled frame of size 24″×18″ with clips, etc., complete .. | 4 | | |
| 6 | N.P. Brass towel rail 1″ thick 24″ N.P. screws complete .. .. .. .. .. | 2 | | |
| 7 | Jey's porcelain toilet box with paper complete .. | 2 | | |
| 8 | Liquid soap holder of glass with liquid soap ½ bottle .. .. .. .. | 4 | | |

*N.B.*—The names of the manufacturers should be clearly specified.

2. Quotations for delivery of the materials from stock will be preferred.

---

*No. S. P. C.* 25331-8, *dated* 26*th January* 1940.

To

*The Firms dealing in Apparatus and Chemicals.*

*Enquiry No.* 3891.

APPARATUS AND CHEMICALS REQUIRED FOR THE TECHNOLOGICAL INSTITUTE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Apparatus and Chemicals required for the Technological Institute", with the above enquiry Number.

This enquiry will be closed on the 15th February 1940.

*Schedule.*

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| | | | Bangalore. | |
| 1 | Flask flat bottom, 50 c.c. | 12 | | |
| 2 | Do 300 c.c. | 24 | | |
| 3 | Do 500 c.c. | 12 | | |
| 4 | Flask round bottom, 250 c.c. | 12 | | |
| 5 | Pyrex distilling Flasks, 100 c.c. | 6 | | |
| 6 | Do 300 c.c. | 6 | | |
| 7 | Three necked flasks 250 c.c. | 2 | | |
| 8 | Burettes 50 c.c. | 12 | | |
| 9 | Do (Schelbach) 50 c.c. | 1 | | |
| 10 | Pipettes 1 c.c. | 2 | | |
| 11 | Do 10 c.c. | 12 | | |
| 12 | Do 25 c.c. | 12 | | |
| 13 | Measuring flasks with stopper 50 c.c. | 3 | | |
| 14 | Do do 25 c.c. | 3 | | |
| 15 | Do do 250 c.c. | 3 | | |
| 16 | Do do 500 c.c. | 3 | | |
| 17 | Fractional distillation tubes (No. of pears 8) | 2 | | |
| 18 | Distillation tubes with two bulbs | 4 | | |
| 19 | Funnels, dia. 1″ | 12 | | |
| 20 | Funnels, dia. 3″ | 12 | | |
| 21 | Thistle funnel, length 6″ | 2 | | |
| 22 | Separating funnels bulb form, 100 c.c. | 6 | | |
| 23 | Separating funnels cylindrical form, 250 c.c. | 6 | | |
| 24 | Graduated separating funnel, 150 c.c. | 1 | | |
| 25 | Separating funnels with long stem, dia. 3″ | 6 | | |
| 26 | Liebig's Condenser (Length of Jacket 12″) | 6 | | |
| 27 | Adapter's for Leibig condensers | 6 | | |
| 28 | Glass Aspirator Bottles with Ground in Stop Cock and Stopper | 2 litres, 6 | | |
| 29 | Aspirators stoneware with taps | 6 gals. 2 | | |
| 30 | Reagent Bottles, Narrow mouth flat stoppered, 250 c.c. | 4 gross. | | |
| 31 | Do do 500 c.c. | 24 | | |
| 32 | Bottles wide mouth for dry salts, 1 oz. | 24 | | |
| 33 | Do do 4 oz. | 24 | | |
| 34 | Acid dishes for reagent bottles, dia. 3″ | 72 | | |
| 35 | Specimen tubes, 2″ length | 24 | | |
| 36 | Kipp's Apparatus, One litre capacity | 1 | | |
| 37 | Gas Washing bottles, 250 c.c. | 4 | | |
| 38 | Calcium Chloride tubes 4″ | 2 | | |
| 39 | Do 4″ | 2 | | |
| 40 | Potash Bulbs | 2 | | |
| 41 | Distallation splast head | 2 | | |
| 42 | Specific Gravity Bottles | 2 | | |
| 43 | Weighing bottles, 2″ Height | 24 | | |
| 44 | Twaddel Hydrometers, 0° to 170° T.W. | 2 sets. | | |
| 45 | Retorts, 250 c.c. | 1 | | |
| 46 | Receiver, 8 oz. | 1 | | |
| 47 | Comparator for the determination of Hydrogen Ion concentration consisting of A comparator housing set, with colour-disc, stand, and necessary weights, plates and pipettes, with eight colour discs for the multi-coloured indicators with standard indicator solutions | 1 set. | | |

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| | | | Bangalore | |
| 48 | B.D.H. Comparator case complete with Indicator solution | 1 | | |
| 49 | Test tube stands with six holes and two large holes and pegs | 24 | | |
| 50 | Burette clips | 24 | | |
| 51 | Ordinary corks assorted | 4 gross | | |
| 52 | Rubber corks assorted mostly in small and medium sizes | 1 ,, | | |
| 53 | Pipette stands for six pipettes of various sizes | 3 | | |
| 54 | Tripod stands, height 8″ | 12 | | |
| 55 | Bunsen Burners, Nivec. | 24 | | |
| 56 | Gas taps (2 way) | 24 | | |
| 57 | Standard Boiling burners size No. 10 | 12 | | |
| 58 | Student's Furnace tube holder only | 2 | | |
| 59 | Hot air drying oven 8″ height | 2 | | |
| 60 | Water baths Mings only | 6 sets | | |
| 61 | Glass tubings 8 to 16 mms. assorted | 2 lengths each | | |
| 62 | Glass rods A to C | 2 lengths. each | | |
| 63 | Red rubber tubing $\frac{1}{4}$ to $\frac{3}{4}$ | 12 ft. each | | |
| 64 | Bunsen burner tubing | 2 coils | | |
| 65 | Washing Bottle 500 c.c. | 24 | | |
| 66 | Combustion glass tubing dia. $10\frac{1}{2}$–25 mm. and 12″ length | 24 | | |
| 67 | Pneumatic trough cylindrical Stoneware dia. 42 c.m. | 1 | | |
| 68 | Gas jars 8″ height | 3 | | |
| 69 | Glass covers dia. $\frac{1}{2}$ c.m. | 3 | | |
| 70 | Test tubes $2″ \times \frac{1}{8}″$ | 144 | | |
| 71 | Do $6″ \times \frac{3}{8}″$ | 144 | | |
| 72 | Do $6″ \times \frac{5}{8}″$ | 48 | | |

*No. S. P. C.* 25320-330, *dated 27th January* 1940.

To

*The Firms dealing in Copper Tubing.*

*Enquiry No.* 3892.

COPPER TUBING.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

(1) Copper tubing seamless $\frac{3}{4}″$ external dia., $\frac{5}{8}″$ internal diameter in standard lengths of 16 feet .. 100 lbs.

(2) Do do 15/16″ external diameter and $\frac{3}{4}″$ internal diameter in standard lengths of 16 ft. .. 100 lbs.

The weight per foot of the tubing may be specified.

The price to be quoted should be for delivery, f.o.r., Bangalore.

This enquiry will close on the 10th February 1940.

---

*No. S. P. C.* 25468-77, *dated 29th January* 1940.

To

*The Firms dealing in Telephones.*

*Enquiry No.* 3894.

PORTABLE MAGNETO TELEPHONES.

GENTLEMEN,

I write to request you to quote your best prices and the earliest time of delivery for the following materials :—

Sixty Portable Magneto Telephones with tropical finish, enclosed in a case made of leather or other suitable material and provided with a carrying strap.

The above telephones shall be provided with a powerful hand generator of 5 magnets, high impedance ringer, inset transmitter and receiver with high transmission efficiency for 15 stations working in parallel on 60 miles of a telephone trunk line consisting of a pair of 200 lbs. per mile iron wire.

The telephones shall generally conform to the following specifications :—

(*a*) Minimum output of 20 cycles hand generator after 1 minute short circuit on 1,000 ohms : 4.4. watts, 67 MA, 67 volts.

(*b*) Ringer resistance 2×2500 ohms, Impedance about 50,000 ohms. Minimum operating current 0.9 MA.

(*c*) Ringing range with only 2 sets connected in parallel at the ends of a trunk line as specified above, the ringer should ring through about 300 miles of line and should still operate over a series resistance of 150,000 ohms.

(*d*) Speaking range 30 db (under conditions as laid down in item (*c*) above). Fifteen sets connected in parallel to the above specified line should not have higher attenuation than 20 db overall.

(*e*) The instrument complete with the case, etc., shall be as light as possible.

Full specifications with illustrative and descriptive literature of the instrument offered together with their actual weight should be furnished along with the tenders, without which no tender will be considered, and the lightness of the instrument will have the same importance as its price while considering the tenders.

The price to be quoted should be for delivery, c.i.f., Madras.

The quotation should be in duplicate.

This enquiry will close on the 30th March 1940.

---

*No. S. P. C.* 25448-67, *dated 27th January* 1940.

To,

*The Firms dealing in Fish Bolts.*

*Enquiry No.* 3895.

FISH BOLTS FOR BAIRAMANGALA WORKS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Fish Bolts for Bairamangala Works" with the above enquiry number.

This enquiry will be closed on the 15th February 1940.

*Schedule.*

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| 1 | Fish Bolts—of $\frac{3}{8}$" diameter by 2" long to suit 14 lbs. rails .. .. .. .. | 8,000 | *Channapatna* | |

*N. B.*—Quotations for supply of fish bolts from stock will be preferred.

Yours faithfully,
MIR SAFDAR HUSSAIN,
*Secretary,*
*Stores Purchase Committee.*

STATEMENT OF ORDERS PLACED BY THE STORES PURCHASE COMMITTEE, GOVERNMENT OF MYSORE, BANGALORE, BOTH IN INDIA AND FOREIGN COUNTRIES DURING THE WEEK ENDING SATURDAY THE 16TH DECEMBER 1939.

| Indent & Enquiry No. | Description of materials | Quantity | Name of the firm | Value of the order |
|---|---|---|---|---|
| *Local.* | | | Messrs.— | Rs. a. p. |
| 5251 | M.S. Plates tested to B.S.S. size 8′×4′×8/3″. | 21 Nos. | | 9 7 0 per cwt. f.o.r., Madras |
| 3763 | Do 8′×5′×8/3″ .. | 12 ,, | Tata Iron & Steel Co., Ltd., Madras. | plus ½ per cent sales tax. |
| .. | Do 10′×4′3/8″ .. | 16 ,, | | |
| | R.S. Girders 6″×5″×10′ .. | 32 ,, | | |
| | Do 6″×5″×8′ .. | 60 ,, | | |
| | M.S. Rivets, Round head 4″, ⅝″ dia. | 23 cwts. | M. N. Hussen & Co., Bangalore. | 28 0 0 per cwt. f.o.r., Belagola. |
| | Do 3″, ¾″ dia. | 9 ,, | Do .. | 20 0 0 do |
| | Do 2½″, ½″ dia. | 2½ ,, | Do .. | 21 0 0 do |
| | M.S. Bolts & nuts of ⅝″×4″ long .. | 3 ,, | Do .. | 28 0 0 do |
| | Do ¾″×3″ long .. | 1 cwt. | Do .. | 27 0 0 do |
| | Do ½″×2″ long .. | 1 ,, | Do .. | 32 0 0 do |
| 5252 .. | Telephone materials :— | | | |
| 3728.. | Flexible cord for telephone transmitter. | 137 ft. | Binny & Co., Ltd., Madras .. | 130 6 0 lot, f.o.r., Bangalore. |
| | Bakelite mouthpieces for telephones | 42 Nos. | Do .. | |
| | Porous pots Nos. 1 and 2 .. | 300 ,, | Do .. | 414 9 0 lot do |
| | Plugs with cords, 4 way tubular .. | 12 | Do .. | 9 0 0 each do |
| | Receivers for telephones, Bell-pattern without cord. | 30 | Do .. | 9 5 0 each do |
| | Zinc rods Nos. 1 and 2 .. | 700 | Do .. | 235 15 0 lot do |
| | Receiver and transmitter, combined | 25 Nos. | Eastern Electric & Engineering Co., Bombay. | 20 0 0 each do |
| | Glass jars for No. 2 L. 4841, for 2 cells. | 140 ,, | General Electric Co., (India), Ltd., Madras. | 8 10 0 per dozen do |
| | Salammonia tabloids, L. 4925 .. | 360 lbs. | Do .. | 37 8 0 per cwt. do |
| | Inert cells, dry type "V" 2¼″×2¼″×6″. | 740 Nos. | United Battery Distributors, Ltd., Calcutta. | 760 0 0 lot, f.o.r., Bangalore. |
| | Dry cells Amco type 101 for torch lights. | 500 ,, | Amco Limited, Bangalore .. | 22 0 0 per gross less 12½% and 10% delivery free at C.P.S. Central Stores. |
| 5253 | Bandoliers 50 rounds .. | 128 ,, | Cooper Allen & Co., Cawnpore | 4 8 0 each, f.o.r., Bangalore |
| 3804 5254 | Gas Generator "Aerogen" portable, electrically driven, suitable for work on A.C. 220 volts, single phase supply. | One | De Laitte Lightning Co., Ltd., Bombay. | 550 0 0 nett, f.o.r., Bangalore City. |
| 5255 | Collapsible gates, made of special R.S. Channels of sizes ¾″×⅜″ | 14 Nos. | M. M. Abbas & Bros., Madras | 2 0 0 per sq. ft. f.o.r., Belagola. |
| 3668 | for the vertical bars, with ½″×¼″ M.S. flats for lettice. | | | |
| 5256 | Plate girders .. | 3 spans or 29·5 tons. | Braithewaite & Co., Calcutta | 8,753 0 0 lot, f.o.r., Calcutta. |
| 3684 5257 | Stencil cutting machine, 4 speed Jig-saw 24″. | One | M. Ramiah, Bangalore City .. | 280 0 0 f.o.r., Bangalore. |
| 3724 5258 | India rubber tubing ⅜″ bore, 2½ mm. thickness wall. | 100 yds. | The Madras Surgical Co., Madras. | 1 0 0 per yd. f.o.r., Bangalore. |
| 3769 5259 | High speed taper shank twist drills of size. | 1½½ dozs. | Alfred Herbert (India), Ltd., Calcutta. | 327 0 0 the lot, f.o.r., Bangalore City. |
| 3709 | Ordinary tool steel rounds of size .. | 2 lengths of 28 lbs. | M. N. Hussen & Co., Bangalore | 72 13 8 lot do |
| | Taper shank twist drills high speed | 116 | A. Ahmedally & Co., Madras | 422 14 0 lot do |
| | Taper shank twist drills carbon steel Indian. | 7½ dozs. | J. D. Brothers, Bombay .. | 180 6 0 lot do |
| 5260 | Double Bullock carts .. | 4 Nos. | Ameerjan & Friend, Mysore .. | 80 0 0 each free delivery. |
| 3766 5261 | Portable weighing machine, capacity 3 cwts. 2 oz. divisions. | One | The India Machine Co., Howrah. | 175 0 0 packed and delivered f.o.r., Bangalore. |
| 3748 | Back rail .. .. | One | Do .. | 6 0 0 do |
| 5262 | Glass bottles, narrow mouth stoppered, 4 oz. | 1 gross | Baird & Tatlock, Ltd., Calcutta. | 12 0 0 per doz. f.o.r., Howrah |

| Indent & Enquiry No. | Description of materials | Quantity | Name of the firm | Value of the order |
|---|---|---|---|---|
| *Local.* | | | Messrs.— | Rs. a. p. |
| 5263 | Laboratory materials .. .. | Lot | T. Ramachandra Rao, Bangalore. | 159 2 0 lot, f.o.r., Mysore. |
| 3675 | | | Baird & Tatlock, Ltd., Calcutta. | 214 1 0 lot, f.o.r., Calcutta. |
| | | | The Calcutta Chemical Co., Ltd., Calcutta. | 171 4 6 lot do |
| 5264 | Doultons No. 2251 Lavatory Basin | One | Richardson & Cruddas, Madras | 384 0 0 f.o.r., Bangalore. |
| 3814 | Doultons Belfast sinks, size 36″×18″×10″. | Two | Do .. | 243 10 0 do |
| | Do 20″×12″×6″ .. | One | | |
| | Laboratory wash hand basins .. | 5 | Arumugam Nagarathnam & Co., Bangalore. | 35 0 0 each do |
| | Mirrors .. | 6 | Do .. | 148 8 0 lot do |
| | Towel rails .. | 9 | | |
| | Liquid soap-holders .. .. | 8 | | |
| 5265 | Leather belts, complete with locket | 85 Nos. | Cooper Allen Co., Cownpore | 4 8 0 each, f.o.r., Bangalore |
| 2798 | Rifle slings 44″×1¼″ .. .. .. | 50 Nos. | Do .. | 0 12 0 each do |
| 5168 | Aluminium eating plates 10″ dia. 18 gauge. | 500 ,, | Jeewanlal (1929) Ltd., Madras | 102 0 0 per 100 f.o.r., Bangalore. |
| Extn. | Aluminium drinking vessels 4½″ height 20 gauge. | 500 ,, | Do .. | 46 0 0 per 100 do |
| *Foreign.* | | | | |
| 2967 | Apparatus and Chemicals .. | Lot | A. Gallenkamp & Co., London | £120–13–4 the lot. |
| 2968 | Spares for M.P.L. section .. | Lot | International General Electric Co. (India), Ltd., Bangalore City. | $1432·10 lot, f.a.s., New York. |
| 3596 2891 | Cable copper single conductor size 500,000 c.m. | 555 ft. | United States Steel Products Co., New York. | $913·68 per 1,000 ft. f.o.r. Works. |
| Extn. | Cable pot heads, outdoor type .. | 4 | Do .. | $21.00 each do |
| 2969 | Lewis patent electric solenoid brake 15″ dia. | One | Ransomes and Rapier, Ltd., London. | Rs. 300. |
| 2970 | Metregauge bogie low-sided wagon 1 R.S. type M.B.O. | 6 | Metropolitan Cammwell Carriage and Wagon Co., Ltd., Birmingham. | £4,500 lot, f.o.b., Liverpool. |
| 3588 | Cost of modification sets of tracings | | Do .. | £45 do |

STATEMENT OF ORDERS PLACED DURING THE WEEK ENDING SATURDAY THE 23RD DECEMBER 1939.

| | | | | |
|---|---|---|---|---|
| *Local.* | | | Messrs.— | Rs. a. p. |
| 5266 | Steel shelving cupboard installation 14′ high × 16′—3″ wide × 19″ deep: made up of 5 sections 3′—3″ wide each. | One | Godrej & Boyce Mfg. Co., Ltd., Bombay. | 1,342 0 0 including delivery and erection in the Office at Bangalore. |
| 3778 5267 | Pack saddlery .. .. | 10 sets | Cooper Allen & Co., Cawnpore | 867 8 0 lot f.o.r., Bangalore City. |
| 3797 5081 | Creamlaid foolscap draft paper 17″×13½″ 16 lbs. | 400 reams | The Mysore Paper Mills, Ltd., Bangalore. | 0 2 10 per lb., f.o.r., Bangalore. |
| Extn. 5268 | *Davalies*:— | | | |
| 3767 | (1) Red Banath 6″ wide, ⅜″ superior gold thread lace border with 3 cores. | Rate contract | Magajee Narasinga Sahujee, Bangalore City. | 9 14 0 each free delivery in the Offices, Bangalore. |
| | (2) Do ½″ superior gold thread lace border with 2 and 3 cores. | Do | Do .. | 6 11 0 each do |
| | (3) Do 1″ yellow woollen tape border. | Do | Do .. | 2 8 0 each do |
| | *Waist Belts*:— | | | |
| | (1) Red Banath waist belts 4″ wide with superior gold thread lace border. | Do | Do .. | 4 9 0 each do |
| | (2) Do ½″ superior gold thread lace border. | Do | Do .. | 3 7 0 each do |
| | (3) Do 1″ yellow woollen tape border. | Do | Do .. | 1 0 6 each do |
| | (4) Do ¾″ yellow woollen tape border. | Do | Do .. | 0 14 0 each do |

| Indent & Enquiry No. | Description of materials | Quantity | Name of the firm | Value e of the order |
|---|---|---|---|---|
| *Local* 4824 | Steel cupboards 6′—6″ high × 36″ wide × 19″ deep. | 12 Nos. | Messrs.— Godrej & Boyece, Mfg., Co., Ltd., Bombay.. | Rs. a. p. 84 0 0 each, net f.o.r., Mysore. |
| Extn. 5181 | (1) Road Roller, D×8 Diesel, weight 8 tons, 4 cwts. | One | Jessop & Co., Calcutta. .. | 12,700 f.o.r., Calcutta. |
| Extn. | (2) Erecting charges .. .. | | | 250 0 0 |
| 5270 | Coal Best, Bengal .. .. | 250 tons | R. K. Pillay & Co., Bangalore City. | 29 8 0 per wagon load of 17 tons and over f.o.r., Bangalore. |
| 3756 | Coal Singareni No. 1 Tandur quality | 50 ,, | T. Boal & Bros., Bangalore City. | 19 0 0 per wagon load f.o.r., Bangalore City. |
| | Coke, Best Bengal No. 1 Lodna. .. | 125 ,, | R. K. Pillay & Co., Bangalore City. | 42 8 0 do |
| | Coke, English (Durham) .. | 10 ,, | Do .. | 100 0 0 do |
| 5271 | C.I. Manhole frames and covers, circular 21″ dia. (inside): | 50 | The Globe Iron Foundry, Bangalore. | 20 8 0 each, f.o.r., Mysore. |
| 3751 5272 | Spares for-winding motor—1 set of stator coils with slot immersion. | 1 set | Crompton Engineering Co., Madras. | 265 0 0 per set, f.o.r., Bangalore City. |
| 3680 5273 | Blackboard Mathematical Instruments. | Rate contract | Government Electric Factory, Bangalore. | 10 0 0 per set, f.o.r., any Station in the State. |
| 3779 5274 | Rosin Jallo, packed in 4 cwts. nett casks. | 35 tons. | Shalimar Paint, Colour and Varnish Co., Ltd., Madras. | 15 5 6 per cwt., f.o.r., Bangalore. |
| 3773 5275 | Tungsten steel 1¼″ size .. .. | 1 length of 6 feet. | Batliboi & Co., Madras .. | 166 0 0 per cwt., f.o.r., Tumkur. |
| 3776 | M.S. Hexagonal bolts and nuts of sizes. | 22 cwts. | Government Electric Factory, Bangalore. | 852 0 0 the lot, f.o.r., Tumkur. |
| 5276 | Lump alum in 3×1 cwt. cases .. | 10 tons | Imperial Chemical Industries (India), Ltd., Madras. | 9 12 0 per cwt., f.o.r., Madras. |
| 5277 | Tents, necessary of sizes 4′×4′ .. | One | H. Gulam Mohi-Ud-Din & Sons, Lahore. | 39 10 9 each, f.o.r., Bangalore. |
| | Tents, single fly 160 lbs. Government pattern. | Two | Do .. | 75 5 3 each do |
| | Tents, single fly 80 lbs. 8′×14″ .. | 12 Nos. | Do .. | 56 5 7 each do |
| | Tents, single fly 40 lbs. 7′×7′ .. | 18 ,, | Do .. | 36 8 3 each do |
| 5278 | General operation table (Hayword type). | One | Kirloskar Brothers, Bangalore City. | 220 0 0 each, f.o.r., Bangalore |
| 3786 | Labour cot .. .. | One | Do ... | 75 0 0 do |
| | Aseptic table .. .. | One | Do .. | 130 0 0 do |
| 5279 | R.S. Beams 18″×6″—55 lbs. × 28″ long. | 5 Nos. | Richardson & Cruddas, Madras | 12 9 0 per cwt., f.o.r., Belgola |
| 3796 5280 | 1 oz. round bottles .. .. | 60 gross | Karimji Ebrahimjee Arsiwala, Bombay. | 3 8 0 per gross Ex. Godown Bombay. |
| 3695 | | | | |
| *Foreign.* 2904 | Varnished Cambric insulated cable, single conductor No. 8 B. & S. for 8,000 volts, A.C. Service. | 12,000 ft. | International General Electric Co., (India), Ltd.,, Bangalore City. | $ 1716.00 lot, f.a.s., New York. |
| Extn. | | | | |

MIR SAFDAR HUSSAIN,
*Secretary,*
*Stores Purchase Committee.*